

I.C. STATIC DISSIPATIVE HAND LOTION



Enriched with Aloe Vera and Vitamins A, D and E. Non-acidic lotion helps relieve chapping, skin flaking, irritation and sensitivity caused by the regular use of latex/nitrile gloves and finger cots. Non-petroleum, non-contaminating and greaseless, it contains no glycerin, mineral oil, silicone or lanolin. Absorbs immediately into the skin without interfering with grip or dexterity.

Part No.	Description
ICL-1-TUBE	1-oz. Tube
ICL-8	8-oz. Bottle
ICL-8-ESD	8-oz. ESD Safe Bottle
ICL-16-ESD	16-oz. ESD Safe Pump Bottle
ICL-32	32-oz. Pump Bottle
ICL-GAL	1-Gallon Container
WALL-BR-32	32-oz. Wall Bracket

I.C. WORKSTATION CLEANER



An alcohol-free, odorless, low-ionic workstation cleaner that is formulated for electronic, cleanroom and pharmaceutical environments. This unique formulation is mildly cationic to effectively neutralize static charge. Meets the requirements for SARA Title 3 and T.S.C.A. **Packaged in the only 16-oz. and 32-oz. ESD safe spray bottles in the world!**

Part No.	Description
ICSC-2	2-oz. Bottle
ICSC-16-ESD	16-oz. ESD Safe Pump Bottle
ICSC-32-ESD	32-oz. ESD Safe Pump Bottle
ICSC-GAL	1-Gallon Container
ICSC-55-GAL	55-Gallon Container

I.C. LOTION ACCESSORIES



Accessories designed to enhance the use of all of the I.C. Lotions and Cleaners

Part No.	Description
IC-PUMPS	Pumps for Gallon Bottle
WALL-40	40-oz. Wall Dispenser
WALL-BR-32	32-oz. Wall Bracket

I.C. CLEAN ROOM HAND LOTION



Enriched with Aloe Vera and Vitamins A, D and E. Non-acidic lotion helps relieve chapping and skin flaking, irritation and sensitivity caused by the regular use of latex and nitrile gloves and finger cots. Non-petroleum, non-contaminating and greaseless, it contains no glycerin, mineral oil, silicone or lanolin. Absorbs immediately into the skin without interfering with grip or dexterity. Both fragrance and dye free. Meets cleanroom requirements for Class 10,000 to Class 1.

Part No.	Description
ICL-1-CR-TUBE	1-oz. Tube
ICL-8-CR	8-oz. Bottle
ICL-8-CR-ESD	8-oz. ESD Safe Bottle
ICL-16-CR-ESD	16-oz. ESD Safe Pump Bottle
ICL-32-CR	32-oz. Pump Bottle
ICL-GAL-CR	1-Gallon Container
WALL-BR-32	32-oz. Wall Bracket

I.C. CLEAN ROOM FACIAL CLEANSER



A cleanroom safe facial cleanser that is designed to be used by personnel before they enter the cleanroom to cleanse away any contaminating cosmetics, oils, dirt and mustache wax. Saves on cleanroom laundry costs. Formulated specifically for safe usage in all Class 10,000 to Class 1 cleanrooms.

Part No.	Description
ICFC-2	2-oz. Bottle
ICFC-32	32-oz. Pump Bottle
ICFC-GAL	1-Gallon Container
WALL-BR-32	32-oz. Wall Bracket

I.C. (LEAD FREE) TIP TINNER



Formulated to prolong tip life in the harsh soldering environments of rosin, no-clean and water soluble fluxes. Flux usage allows oxide build-up on tip, causing poor thermal transfer and dewetting of the tip surface. TIP-T for use on standard tips; TIP-2 for surface mount tips.

Part No.	Description
TIP-T	1/2-oz. Lead Free Tip Tinner
TIP-2	1-1/2-oz. Lead Free Tip Tinner

I.C. ANTIBACTERIAL SANITIZING LOTION



Enriched with Aloe Vera and Vitamins A, D and E. Antibacterial, antimicrobial lotion helps relieve skin chapping, irritation and sensitivity from regular use of latex/nitrile gloves and finger cots. Non-petroleum, non-contaminating, greaseless; contains no glycerin, mineral oil, silicone or lanolin. Absorbs into skin immediately without interfering with grip or dexterity. Recommended for medical and pharmaceutical environments. Ion: <50ppm.

Part No.	Description
ICAB-1-TUBE	1-oz. Tube
ICAB-8	8-oz. Bottle
ICAB-32	32-oz. Pump Bottle
ICAB-GAL	1-Gallon Container
WALL-BR-32	32-oz. Wall Bracket

I.C. ANTIBACTERIAL HAND CLEANER



Neutral mildly cationic, antibacterial, antimicrobial hand cleaner formulated for use in electronic, cleanroom and pharmaceutical environments where any contamination is unacceptable. Regular hand cleaners may contain soaps, along with silicone, lanolin and mineral oil, all of which can be a cause of contamination.

Part No.	Description
ICC-2	2-oz. Bottle
ICC-32	32-oz. Pump Bottle
ICC-GAL	1-Gallon Container
WALL-BR-32	32-oz. Wall Bracket

ESD SAFE SELF SATURATING SWABS



Filled with 91% electronic grade isopropyl alcohol and 9% de-ionized water. Squeeze handle and fluid releases into medical grade foam tip. No longer necessary to carry around messy, open containers of solvent. Saturated medical foam helps to reduce particulate contaminants that wipes and cotton swabs can cause.

Part No.	Description
IC-POP-ESD-50	Foam Tip Swab, ESD Safe, 50/pk.
IC-POP-ESD-100	Foam Tip Swab, ESD Safe, 100/pk.

I.C. HANDS FREE DISPENSERS



Activated by electronic infrared eye, this newest innovation in dispensing technology allows you to dispense a precise amount of hand lotion, cleaner or sun screen cleanly into the palm of your hand thereby eliminating waste and preventing cross-contamination. **The I.C. Hands Free Dispensers are virtually clog-free due to the fact that the dispensing nozzle is an integral part of the refill package!** Every time you put in a fresh refill, you get a brand new nozzle! I.C. Hands Free Dispensers are available in two different sizes, 27-oz. and 64-oz. Refills are sold separately and listed below. These dispensers are battery operated and both sizes of dispensers come with two "C" size 1.5V batteries.

Part No.	Description
HFC-27	Hands Free Dispenser, 27-oz.
ICL-27	27-oz. IC Hand Lotion Refill
ICL-27-CR	27-oz. IC Clean Room Lotion Refill
ICAB-27	27-oz. IC Antibacterial Lotion Refill
ICC-27	27-oz. IC Antibacterial Cleaner Refill
ICFC-27	27-oz. IC Facial Cleaner Refill
ISSC-27	27-oz. Industrial Sunscreen Refill, SPF 15+

Part No.	Description
HFC-64	Hands Free Dispenser, 64-oz.
ICL-64	64-oz. IC Hand Lotion Refill
ICL-64-CR	64-oz. IC Clean Room Lotion Refill
ICAB-64	64-oz. IC Antibacterial Lotion Refill
ICC-64	64-oz. IC Antibacterial Cleaner Refill
ICFC-64	64-oz. IC Facial Cleaner Refill
ISSC-64	64-oz. Industrial Sunscreen Refill, SPF 15+

INDUSTRIAL STRENGTH SUNSCREEN



Specially formulated to protect those exposed on a daily basis to the sun's ultraviolet rays. **SPF 15+ Moderate.**

- Insect Repellent
- Non-Greasy
- Hypo-Allergenic
- Oil Free
- Vitamin AD&E
- Broad Spectrum UVA-UVB

When used on a regular basis, it may help to reduce signs of premature aging, wrinkles and the chance of long term sun damage that could include skin cancer.

Part No.	Description
ISSC-1-15+	1-oz. Tube
ISSC-8-15+	8-oz. Bottle
ISSC-32-15+	32-oz. Pump Bottle
ISSC-GAL-15+	1-Gallon Container
WALL-BR-32	32-oz. Wall Bracket

I.C. TOPICAL ANTISTAT

A general purpose antistatic agent provides you with outstanding performance in the surface treatment of all types of plastics that are routinely used in the electronics industry for packaging electronic parts. This product is specifically formulated to provide help in the elimination of the static charge buildup that can occur on work surfaces, terminals, plastics, boxes, carpets and other porous materials. No residue, no contamination, no chlorides, no sulfides, cleanroom safe. **Packaged in the only 16-oz. and 32-oz. static dissipative ESD safe spray bottles in the world!**



Part No.	Description
ICAS-2	2-oz. Bottle
ICAS-16-ESD	16-oz. ESD Safe Pump Bottle
ICAS-32-ESD	32-oz. ESD Safe Pump Bottle
ICAS-GAL	1-Gallon Container
ICAS-55-GAL	55-Gallon Container

ESD SAFE CATCH-ALL



The Catch-All cup is a 16-oz. static dissipative general purpose cup designed for the purpose of holding pens, rulers, swabs and other miscellaneous items. Safe for all work areas. This ESD safe cup offers an average surface resistivity of 10^9 to $10^{10}\Omega$ that will dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
CTAL-ESD	16-oz. Catch-All, ESD Safe

ESD SAFE 8-OZ. WATER BOTTLE



8-oz. static dissipative general purpose water bottle that is non-greasy and humidity independent. This bottle offers an average surface resistivity of 10^9 to $10^{10}\Omega$ that will dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
WB-8-ESD	8-oz. Water Bottle, ESD Safe

ESD SAFE 32-OZ. SPORTS BOTTLE



32-oz. static dissipative sports bottle for personal consumption of cold drinks. These bottles offer an average surface resistivity of 10^9 to $10^{10}\Omega$ and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
SB-32-ESD	32-oz. Sports Bottle, ESD Safe

ESD SAFE FLUX DISPENSERS



Static dissipative 2-oz. flux dispensing bottles feature a surface resistivity of 10^9 to 10^{10} and can dissipate a $\pm 5000V$ static charge in less than 2 seconds at 40% relative humidity. Three sizes of dispensing needles are available and listed below.

Part No.	Description
FD-1-ESD	2-oz. Flux Bottle, ESD Safe, 26-ga.
FD-2-ESD	2-oz. Flux Bottle, ESD Safe, 20-ga.
FD-3-ESD	2-oz. Flux Bottle, ESD Safe, 16-ga.

ESD SAFE BRUSH SOLVENT DISPENSER



2-oz. static dissipative solvent dispenser comes with a soft bristle brush for the removal of flux and general cleaning. This bottle offers an average surface resistivity of 10^9 to $10^{10}\Omega$ that will dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
FD-BRUSH-ESD	2-oz. Flux Dispenser w/Brush

ESD SAFE PEN TIP FLUX DISPENSER



2-oz. static dissipative flux dispenser comes with a pen tip. Pushing down on bottle controls the amount of liquid dispensed. Replaceable tips available. This bottle offers an average surface resistivity of 10^9 to $10^{10}\Omega$ that will dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
FD-PEN-ESD	2-oz. Flux Dispenser w/Pen Tip
FD-PEN-TIP	Replacement Chisel Pen Tips, 5/pk.

ESD SAFE SOLVENT DISPENSERS



Static dissipative dispensers come with a stainless steel pump with air tight check valve or Purity pump that protects against cross contamination by keeping fluid from returning to dispenser. Features an average surface resistivity of 10^9 to $10^{10}\Omega$ and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
SD-4-ESD	4-oz. Solvent Dispenser, Std. Pump
SD-4-ESD-PP	4-oz. Solvent Dispenser, Purity Pump
SD-6-ESD	6-oz. Solvent Dispenser, Std. Pump
SD-6-ESD-PP	6-oz. Solvent Dispenser, Purity Pump
SD-8-ESD	8-oz. Solvent Dispenser, Std. Pump
SD-8-ESD-PP	8-oz. Solvent Dispenser, Purity Pump

ESD SAFE 16-OZ. SPRAY BOTTLE



16-oz. static dissipative hand triggered spray bottle for dispensing liquids such as antistats, water or various cleaners. This spray bottle offers an average surface resistivity of 10^9 to $10^{10}\Omega$ and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
SCB-16-ESD	16-oz. Spray Bottle, ESD Safe

ESD SAFE 32-OZ. SPRAY BOTTLE



32-oz. static dissipative hand triggered spray bottle for dispensing liquids such as anti-statics, water or various cleaners. This spray bottle offers an average surface resistivity of 10^9 to $10^{10}\Omega$ and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

Part No.	Description
SCB-32-ESD	32-oz. Spray Bottle, ESD Safe

ESD SAFE BOTTLES & DISPENSERS



Regular plastic bottles can produce a 10,000V charge, potentially damaging sensitive components, while static dissipative bottles have an average 10^9 to $10^{10}\Omega$ surface resistivity and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

- **ESD Safe 2-oz. Flux Dispensers:** Available with either a 26AWG, 20AWG or 16AWG needle.
- **ESD Safe 2-oz. Solvent Dispenser with Brush Tip:** For flux removal and general cleaning.
- **ESD Safe 2-oz. Flux Dispenser with Pen Tip:** Push down on tip to dispense the precise amount of liquid
- **ESD Safe Solvent Dispensers:** Available in either a 4-, 6- or 8-oz. bottle with either Standard or Purity stainless steel pumps with air tight check valves.
- **ESD Safe 32-oz. Sports Bottle and 8-oz. Water Bottle:** Both are for the personal consumption of cold beverages or water.
- **ESD Safe 16-oz. Catch-All Cup:** A general purpose cup for holding small items.
- **ESD Safe 16-oz. and 32-oz. Spray Bottles:** Both feature a hand triggered spray pump.

Part No.	Description
FD-1-ESD	2-oz. Flux Bottle, ESD Safe, 26-ga.
FD-2-ESD	2-oz. Flux Bottle, ESD Safe, 20-ga.
FD-3-ESD	2-oz. Flux Bottle, ESD Safe, 16-ga.
FD-BRUSH-ESD	2-oz. Flux Dispenser w/Brush
FD-PEN-ESD	2-oz. Flux Dispenser w/Pen Tip
FD-PEN-TIP	Replacement Chisel Pen Tips, 5/pk.
SD-4-ESD	4-oz. Solvent Dispenser, Std. Pump
SD-6-ESD-PP	4-oz. Solvent Dispenser, Purity Pump
SD-4-ESD	6-oz. Solvent Dispenser, Std. Pump
SD-6-ESD-PP	6-oz. Solvent Dispenser, Purity Pump
SD-8-ESD	8-oz. Solvent Dispenser, Std. Pump
SD-8-ESD-PP	8-oz. Solvent Dispenser, Purity Pump
SB-32-ESD	32-oz. Sports Bottle, ESD Safe
WB-8-ESD	8-oz. Water Bottle, ESD Safe
CTAL-ESD	16-oz. Catch-All Cup, ESD Safe
SCB-16-ESD	16-oz. Spray Bottle, ESD Safe
SCB-32-ESD	32-oz. Spray Bottle, ESD Safe